GARDI HOMOEO TIMES

Vol. : 03 | Issue : 05 | 26th Jan. 2025 | Page : 36

A+ GRADED COLLEGE by NCH & QCI

L. R. SHAH HOMOEOPATHY COLLEGE

+91 9924360643

library_lrshc@gardividyapith.ac.in

Mr. D. V. Mehta Chairman | **Kiran Shah** Vice Chairman | **Mr. Jay D. Mehta** Managing Director | **Dr. Arvind Bhatt** Secretary | **Dr. Bhaskar Bhatt** Principal & Editor in Chief

Editorial Board

Dr. Chitra | Dr. Vivek Vasoya | Dr. Rishi Srivastava
Dr. A.P.S. Chhabra | Dr. Punam Patel | Dr. Samartha Singh

Issue Editor

Prof. Dr. Chitra
M.D. (Hom.)
Professor, Department of Surgery
L.R. Shah Homoeopathy College

Published By : L.R. Shah Homoeopathy College

Editorial

Dear Readers,
Greetings to you!

As the Editor of this esteemed Homoeopathic magazine, I am consistently inspired by the enduring relevance and profound impact of this holistic system of medicine. In an era dominated by technological advancements and rapid medical breakthroughs, Homoeopathy continues to shine as a beacon of personalized and gentle healing.

Our readers, comprised of dedicated practitioners, aspiring students, and curious individuals, understand the unique power of Homoeopathy. It acknowledges the intricate connection between mind, body, and spirit, recognizing that true healing extends beyond the mere suppression of symptoms. By addressing the underlying root cause of disease, Homoeopathy empowers individuals to regain their vitality and achieve lasting wellness.

This magazine serves as a platform for disseminating knowledge, fostering dialogue, and celebrating the remarkable achievements of the Homoeopathic community. We strive to provide insightful articles on contemporary research, clinical case studies, philosophical debates, and the latest advancements in Homoeopathic practice. We believe that by sharing knowledge and fostering a vibrant community, we can continue to elevate the profile of Homoeopathy and ensure its continued growth and evolution.

In this issue, we delve into Nutrition and its applicability in Homoeopathy. We are confident that these articles will provide valuable insights and inspire practitioners in their pursuit of excellence.

Happy reading & waiting for your feedback!
From the editor... Prof. Dr. Chitra

INDEX

Sr. No.	Article	Author	Page No.
1	Dietary Guidelines during Homoeopathic Treatment	Hitaishi. T. Joshi & Rutvi Kanani	1
2	Life, Balance and Homoeopathy	Deep Prafulbhai Sudanee	2
3	Miasmatic Concept of Nutrition in Homoeopathy	Priya Rajpura	4
4	Malnutrition & Homoeopathic Management	Tushar H. Sadrani	6
5	Homoeopathy In Nutritional Deficiencies	Ishita Dabhi	9
6	Assessing the efficacy of Homoeopathy in addressing Vitamin D deficiency : A critical review	Nemish Vijaybhai Paramar	14
7	Management of Vitamin C Deficiency with Homoeopathy	Dr. A.P.S. Chhabra & Masumi Palan	26
8	Event Gaallery		31

Dietary Guidelines During Homeopathic Treatment

Hitaishi T. Joshi Rutvi Kanani

(1st BHMS Professional, Batch : 2023- 2025 L R Shah Homoeopathy College, Rajkot)

A common question regarding homeopathy is about dietary precautions. It's important to know what foods or drinks to avoid, as they can influence the effectiveness of homeopathic remedies.

Homeopathic medicines are typically taken by mouth, and the pills or globules are absorbed in the oral cavity, with the medicine's action beginning in the mouth. Therefore, it's essential to avoid strong food tastes or odors, such as those from coffee, mint, garlic, or onion, as they can interfere with the treatment. To maximize the medicine's action, it is recommended to maintain a gap of at least 30 minutes between taking the remedy and consuming any food or drinks.

Additionally, specific food restrictions may arise due to certain health conditions such as high blood pressure, gastritis, or hepatitis C, which can also affect how the body responds to homeopathic medicine.

Samuel Hahnemann, the founder of homeopathy, included similar concepts in footnote 140 of the Organon of Medicine. Here are some detailed dietary guidelines to follow during homeopathic treatment :

- **Avoid Strong Tasting or Aromatic Substances :**

Strong substances like garlic, onion, and mint can disrupt the delicate action of homeopathic remedies, as they may interfere with the subtle energy on which the remedies act

- **No Caffeine :**

Caffeine is a stimulant that can overstimulate the nervous system and counteract the calming and balancing effects of homeopathic remedies. It's best to avoid coffee, tea, and other caffeinated beverages.

- **Take Remedies on an Empty Stomach :**

A full stomach can interfere with the potency of the remedy. It is advised to take homeopathic remedies at least 30 minutes before or after eating to ensure they work effectively.

- **Minimize Sugar and Artificial Sweeteners :**

Excessive sugar can reduce the body's vitality and immunity, while artificial sweeteners like aspartame and saccharin can hinder the body's response to the treatment. Avoid processed sugars, sweets, candy, cakes, soft drinks, and artificial sweeteners. Healthier alternatives include natural sweeteners like honey, stevia, or maple syrup.

- **Stay Hydrated :**

Proper hydration supports overall health and helps the body detoxify. Drink 1 to 2 liters of water daily to aid the healing process during homeopathic treatment.

Summary :
To support the effectiveness of homeopathic remedies, avoid mint, coffee, strong herbs, spicy foods, processed sugars, and artificial sweeteners. Focus on fresh, whole foods, mild herbal teas, and room-temperature beverages for optimal results.

References :

1. Hahnemann, S. Organon of Medicine. 6th Edition, 1842.
2. Roberfroid, M. B. “Prebiotics and probiotics: are they functional foods?” The American Journal of Clinical Nutrition, vol. 71, no. 6, 2000, pp. 1682S-1687S.
3. Vickers, A. J., and Zollman, C. “Homeopathy.” British Medical Journal, vol. 324, 2002, pp. 1-3.
4. Fox, E. M. “The impact of nutrition on health: A holistic approach.” Homeopathy, vol. 102, no. 2, 2013, pp. 107-113.

Life, Balance and Homoeopathy

Sudanee Deep Prafulbhai
Internship batch 2024-25
L. R. Shah Homoeopathy College, Rajkot

INTRODUCTION

- With the increasing population, the demand for the nutritional supplements is also increasing, which are nutritious and sustainable for human consumption.
- The source of these nutritional supplements can be animals and plants. As we know, Homoeopathic medicines are extracted from these food sources, so besides the healing effect they also help in nutrition management.

HOMOEOPATHIC MEDICINES USES IN NUTRITION MANAGEMENT

1. **ALFALFA:**
   Alfalfa tonic is prepared from a herb Medicago sativa which is rich in vitamins (A, C, K, E) macro nutrients and micro nutrients (Fe, F, K, Ca). It helps in resolving digestive issues like poor food absorption, constipation, muscle weakness and skin dullness and helps in restoring body stamina.
2. **AVENA SATIVA**
   Avena sativa is a herb from which Homoeopathic medicines are prepared commonly known as oats. It is rich in fibers. Lower body cholesterol level which strengthens the heart muscle, besides its major health benefits. It is mainly given for neurological weakness, insomnia and opium addiction.
3. **ZINCUM METALLICUM :**
   Zinc medicine is used to improve cognitive skin and memory issues by strengthening the immunological and reproductive systems.

4. **FERRUM PHOS :**
   Ferrum phos. is prepared from Iron phosphate. It is usually given to improve overall energy. Mostly given to anemic patients and in treating the first stage of inflammation.
5. **CALCAREA CARB :**
   Calcarea carbonate also known as calcium carbonicum Hahnemanni is mineral medicine prepared from the oyster shell which is rich in calcium carbonate. Calcium is one of the major constituents of bones. Thus, the remedy helps in improving bone
   health and development, dental ailments and joint pain and is also used in children with delayed milestone.
6. **KALI PHOSPHORICUM :**
   Kali phos is prepared from potassium phosphate. According to Dr. Schussler deficiency of potassium phosphate leads to despodency and anxiety. This remedy is mainly given to support nervous health and improving stress conditions and mental fatigue.
6. **SILICEA :**
   Silicea is a non-metallic material found in the Earth's crust. It plays important role in plant structures. In the Human body, it fortifies hair, tooth and nails as well as connective tissue.

CONCLUSION :

Homoeopathy is one of the Holistic approaches to Health management and nutrition management. A person's whole physical and emotional health is kept under consideration along with disease symptoms for medicine prescription, besides its beneficial aspects including low side effects, individualized and holistic approach etc.

Some critics talk about its disadvantage too which include long healing time, potentization reduces the molecule number to null which may be just none other than a placebo. Some also say that there is no enough data repository for considering its beneficial effects and also there is lack of regulation by Health authorities. To eradicate these issues, our Homoeopathic practitioners should publish their data just like allopathic practitioners. This may increase the data repository and will eventually helps in the regulation of this approach and its medicines.

REFERENCES :

1. William Boericke, Pocket Manual of Homoeopathic Materia Medica and Repertory, 9th edition. New Delhi, Mayur jain
2. H.C. Allen, MD, Allen's Keynotes, 10th edition, B Jain Publishers (P) Ltd. 2005
3. Textbook Of Nutrition In Health And Disease, Kaveri Chakrabarty, A.S. Chakrabarty, 2019.

Miasmatic Concepts of Nutrition in Homoeopathy

Priya Rajpura
1st BHMS Professional (2023-25 batch)
L. R. Shah Homoeopathy College, Rajkot

Abstract : Nutrients are essential substances required to maintain health and well-being. Deficiencies in any of these nutrients can predispose individuals to various chronic diseases. In homeopathy, the concept of miasms—considered to be deep-seated predispositions to disease—suggests a fundamental connection between these predispositions and the body's regular functioning, including nutrient assimilation and utilization.

Keywords : Nutrition, miasmatic evaluation, homeopathy, nutrient deficiency, chronic disease

Introduction : Nutrients are essential components that must be obtained from the diet, as the body cannot synthesize them in sufficient quantities. These include energy-providing nutrients (proteins, fats, and carbohydrates), vitamins, minerals, and water. The required amounts of these nutrients vary with age, physiological condition, and overall health status. Nutritional disorders may arise from either an absolute deficiency of specific nutrients or the body's inability to properly absorb them. Such deficiencies can lead to various physical and mental disorders or create imbalances that affect health.

In homeopathic philosophy, it is believed that an imbalance in nutritional intake or assimilation not only affects physical health but can also have deeper implications linked to miasms. According to homeopathy, if the body is unable to absorb or utilize nutrients due to an inherent weakness or dysfunction, this inability may be rooted in a miasmatic predisposition. In these cases, nutritional deficiencies are seen not merely as a lack of nutrients but as a sign of an underlying constitutional imbalance. Homeopathy addresses this by advocating for either natural food-based solution if the body can assimilate them or artificial supplementation when necessary. However, when nutritional issues stem from the body's inability to properly utilize nutrients, a miasmatic evaluation is recommended to identify and address these underlying, often inherited, Homeopathy and Miasmatic Influence on Nutritional Health: Homeopathy's approach to nutrition differs significantly from conventional medicine. While conventional approaches focus on identifying and supplementing nutrient deficiencies directly, homeopathy takes a more holistic view. Miasms, according to homeopathic thought, are inherited predispositions that shape how a person's body reacts to stressors, including nutritional imbalances. This framework suggests that conditions like nutrient malabsorption, intolerance, or even deficiency-driven diseases could be rooted in deeper, chronic predispositions. For example, a person with a “psoric” miasmatic profile may struggle with recurrent nutritional deficiencies due to an underlying disposition toward chronic functional disorders. Similarly, someone with a “sycotic” miasmatic profile might experience issues related to excess or stagnation, affecting nutrient metabolism and leading to imbalances.

Addressing nutrient deficiencies, therefore, may not only require direct supplementation but also an evaluation of these underlying miasmatic patterns. Miasmatic treatment can involve

specific homeopathic remedies intended to balance these predispositions, potentially improving the body's ability to utilize nutrients more effectively. This approach integrates both dietary support and miasmatic correction to create a balanced, individualized treatment plan aimed at promoting long-term health and reducing susceptibility to chronic diseases.

In homeopathy, certain remedies are commonly associated with supporting nutrient absorption, addressing nutritional deficiencies, and correcting miasmatic influences that might contribute to nutrient imbalance. Here are a few remedies often used :

1. Ferrum Phosphoricum : Known for supporting iron absorption, this remedy is used in cases of anemia, fatigue, and low vitality. It's helpful for individuals with poor iron metabolism and mild inflammatory conditions.

2. Natrum Muriaticum : Commonly associated with sodium and fluid balance, this remedy is helpful for individuals experiencing dehydration, electrolyte imbalance, or issues linked to salt retention. It's often used for emotional imbalances that affect physical health.

3. Calcarea Carbonica : This remedy is beneficial for people with slow metabolism, low energy, and poor absorption of nutrients, particularly calcium. It's especially suited for those with a tendency toward weight gain or digestive sluggishness

Conclusion : Nutritional health is foundational to overall well-being, and deficiencies can disrupt both physical and mental balance. Homeopathy approaches these imbalances holistically, recognizing that deficiencies may not only stem from dietary factors but also from deeper, inherited predispositions known as miasms. By evaluating and addressing these miasmatic influences, homeopathy seeks to enhance nutrient absorption and utilization, supporting the body's natural processes and reducing susceptibility to chronic illness. This approach underscores the importance of treating both the individual's immediate nutritional needs and their underlying constitutional tendencies, promoting lasting health through balance and alignment with the body's natural healing capabilities.

Referance :

1. Boericke, W. (2001). Pocket Manual of Homeopathic Materia Medica – Covers remedies like Calcarea Phosphorica and Ferrum Phosphoricum for nutrient support.
2. Hahnemann, S. (1842). The Chronic Diseases – Introduces the concept of miasms and their role in health.
3. Kent, J. T. (2002). Lectures on Homoeopathic Philosophy – Expands on miasms and their impact on nutrient-related conditions.
4. Scholten, J. (1993). Homeopathy and Minerals – Focuses on mineral remedies for nutritional imbalances.
5. Vithoulkas, G. (1980). The Science of Homeopathy – Explores miasms and homeopathic treatment for chronic deficiencies.

"Malnutrition & Homoeopathic Management"

TUSHAR H. SADRANI
2nd BHMS Student
L. R. Shah Homoeopathy College, Rajkot

ABSTRACT :

Homoeopathy is a system of medicine based on the principle of "like cures like," where substances that cause symptoms in healthy individuals are used in diluted forms to treat similar symptoms in sick individuals.

INTRODUCTION :

Malnutrition is a condition that results from an inadequate or excessive consumption of nutrients, potentially causing a range of health problems. It can present itself in two forms: undernutrition, characterized by insufficient caloric or nutrient intake, and overnutrition, which involves an overabundance of calories or specific nutrients.

HOMEOPATHIC APPROACH :

Homeopathy may serve as a complementary method for addressing specific symptoms linked to malnutrition and its associated conditions. It is crucial to emphasize that homeopathy should not substitute conventional medical therapies or nutritional strategies, particularly in instances of severe malnutrition. There are several malnutrition-related conditions in which homeopathy might be utilized as an adjunctive treatment.

Here are some malnutrition-related conditions where homeopathy may be used as a supportive treatment:

1. Marasmus

A severe form of malnutrition characterized by energy deficiency, leading to significant weight loss and muscle severe undernutrition — a deficiency in all the macronutrients that the body requires to function, including carbohydrates, protein and fats. Marasmus causes visible wasting of fat and muscle under the skin, giving bodies an emaciated appearance. It causes stunted growth in children.

Homeopathic management :

Calcarea Phosphorica : May be indicated for individuals who are underweight and have stunted growth. Progressive weight loss, weakness, and slow growth, especially in children or people with poor bone and muscle growth. The weight loss may be accompanied by loss of appetite and fatigue.

Phosphorus : Can help in cases where there is weakness and exhaustion. Being thin and extremely weak, especially after an illness or injury. People may have a craving for cold drinks, a dry cough, and symptoms of anemia or general weakness.

2. Kwashiorkor

A form of malnutrition caused by protein deficiency, often seen in children, characterized by

edema, irritability, and skin changes. occurs primarily due to a deficiency of protein in the diet, despite an adequate caloric intake. It is most commonly seen in children, particularly in areas where there is famine, poverty, or a lack of access to nutritious food.

Homeopathic management :

Calcium Phosphorus : May help with symptoms like restlessness and digestive issues. Children cannot lift their heads.

The child loses weight, does not want to stand, does not learn to walk.Slow biting. The forehead is open for too long or closes and then opens again.

Natrum muriaticum : Can be considered for individuals with edema and emotional disturbances. Natrum Mur is a very important medicine for malnutrition.Emaciation, most noticeable in the neck.Extreme weakness, the weakest feeling is in the morning in bed.

3. Anemia :

A condition resulting from a deficiency of red blood cells or hemoglobin, often due to iron deficiency or malnutrition. condition characterized by a deficiency in the number or quality of red blood cells (RBCs), which can lead to reduced oxygen transport in the body. There are various types of anemia, each with different causes, symptoms, and treatments.

Homeopathic management :

Ferrum metallicum : Often used for iron-deficiency anemia . People who need to take Ferrum Met become weak, pale, and often develop a false blush at the slightest excitement. Patients also experience symptoms such as dizziness, headaches, and tinnitus. Such patients mainly show difficulty breathing, shortness of breath with palpitations, fear of cold, etc..

China (Cinchona) : Can help with symptoms of weakness and fatigue associated with anemia. Anemia due to extreme blood loss is best treated with natural homeopathic medicines from China. Bleeding can be caused by trauma, excessive menstrual bleeding, or bleeding from any part of the body such as throat, intestines, nose, etc.

4. Vitamin Deficiencies :

Conditions arising from a lack of essential vitamins (e.g., scurvy from vitamin C deficiency).Vitamin deficiency occurs when the body does not get enough of a specific vitamin, leading to a range of health issues. Each vitamin plays unique roles in bodily functions, and deficiencies can result in various symptoms and health problems. Here are some common vitamin deficiencies, their causes, symptoms, and potential treatments:

Homeopathic management :

- **Nux vomica :** This medicine is often used to treat symptoms such as fatigue, weakness, and numbness or tingling in the hands and feet.
- **Gelsemium elegans :** This medicine is used to treat symptoms such as fatigue, weakness, and numbness or tingling in the hands and feet.
- **Arsenicum album :** This medicine is used to treat symptoms such as shortness of breath, pale or yellow skin, and fatigue.
- **Calcarea Carbonica :** This medicine is used to treat symptoms such as fatigue, weakness, and mood swings.

Conclusion :

• Individualization : Homeopathy is based on the principle of individualized treatment. A qualified homeopath will assess the specific symptoms, constitution, and overall health of the individual before prescribing remedies.

• Evidence and Efficacy : While some individuals report positive results with homeopathy, scientific evidence supporting its effectiveness is limited. It's crucial to approach treatment options critically.

Homeopathy may provide supportive care for some symptoms associated with malnutrition and its related conditions. However, it should be part of a broader treatment plan that includes conventional medical care and nutritional support. Always consult healthcare professionals when dealing with malnutrition or any health condition.

REFERENCES :

1. Skylinehomeo.blogspot.com
2. @skylinehomoeopathy (ig)
3. Cleveland Clinic.org
4. Homeopathy360.com
5. www.medicine.com
6. Allen HC. Keynotes and Characteristics With Comparisons of Some of the Leading Remedies of the Materia Medica. United States; 1898.
7. Sembulingam K, Sembulingam Prema, Essentials of Medical Physiology, 5th Edition, Jaypee Brothers Medical Publishers (P) Ltd., New Delhi, 2010
8. Boericke W.; Pocket Manual Of Homoeopathic Materia Medica & Repertory; 9th Edition; 2002; B. Jain Publishers;
9. Mohan. H ; textbook of pathology; 6th edition; jaypee brothers medical publishers (P) ltd.;2010

Homoeopathy In Nutritional Deficiencies

ISHITA DABHI (B.H.M.S) (INTERN)
L. R. Shah Homoeopathy College, Rajkot

ABSTRACT

Homoeopathy is a Holistic form of complementary and alternative medicine that relies on treating a whole body rather than dealing with just physical symptoms. The basic work principles at this approach are that person's mental and emotional status are linked so physical symptoms cannot be treated alone without them in view. Master Hahnemann is considered the FATHER OF HOMOEOPATHY; He proposed that Homoeopathy is based on two principles 'LIKE CURE LIKE' and 'LAW OF POTENTIZATION'. Homoeopathic remedies are mostly extracted from plants, animals and mineral sources. Homoeopathy plays an extensive role in health and nutrition management. Its Holistic approach and minimal side effects make it more suitable for disease treatment.

KEYWORDS : Homoeopathy, Nutrition, Biochemics, Remedies

INTRODUCTION

Nutritional deficiencies are often an overlooked problem that can quietly affect your overall health and well-being. Many people don't realize that these deficiencies can lead to various health issues if not addressed in time. While conventional medicine usually focuses on adding missing nutrients through supplements, Homoeopathy offers a different approach. It looks at the root cause of the deficiency and tries to improve how your body absorbs and uses these nutrients.

WHAT ARE NUTRITIONAL DEFICIENCIES ?

Nutritional deficiencies happen when your body doesn't get the right balance of nutrients it needs to function properly. This can occur because of eating the wrong types of food, problems with absorbing nutrients from your diet, or because your body needs more nutrients during times like growth, pregnancy, or illness.

HOW TO RECOGNIZE MOST COMMON NUTRITIONAL DEFICIENCIES ?

1] VITAMIN A DEFICIENCY

When Body does not have enough of Vitamin A leads To Dry skin or eyes, skin issues, Night blindness, delayed growth.

2] VITAMIN C DEFICIENCY

It leads to Dry skin on arms, slow wound healing, poor immunity

3] VITAMIN B12 DEFICIENCY

It leads to tingling in hands and limbs, weakness. It is important for Nerve function and producing healthy Red Bloods Cells.

4] VITAMIN D DEFICIENCY

It is necessary for Bone Health. Deficiency of this leads to Bone loss, pain, muscles spasms, poor immunity.

5] FOLIC ACID DEFICIENCY

Deficiency of this leads to slow growth, fatigue, mouth sore, grey hair.

6] MAGNESIUM DEFICIENCY

It leads to Constipation, difficulty in sleeping, hyperactivity, anxiety, muscles cramps or twitching.

7] ZINC DEFICIENCY

It is important for immune function and wound healing. Its deficiency leads to hair loss, eye problem, loss of taste, diarrhoea.

8] CALCIUM DEFICIENCY

It leads to muscles cramps, poor bone and dental development, brittle nails, stunted growth, confusion, seizures.

9] IRON DEFICIENCY

It leads to dark under eyes, attention and learning difficulties, Tantrums, pale skin, Hair loss, cold hands and feet, fatigue and weakness.

CONVETIONAL TREATMENT FOR NUTRITIONAL DEFICIENCIES

The main ways to manage nutritional deficiencies through conventional method are: -

- **CHANGING YOUR DIET**
  Eating food that are rich in nutrients you're lacking

- **TAKING SUPPLEMENTS**
  If not getting enough from diet supplements can help

- **TREATING UNDERLYING CONDITIONS**
  Certain Health issues like digestive problems can stop your body from absorbing nutrients properly.

SCOPE OF HOMOEOPATHY IN NUTRITIONAL DEFICIENCIES

Principles and dynamics of Homoeopathy

The Homoeopathic system is a scientific discipline founded on rules, concepts and techniques that are sound and verifiable. However, in its application to the individual patient, it is also an art. Homoeopathic medicines, on the other hand deal indirectly with the chemistry and structure of the physical body by dealing with substance and energies at the next and more subtle levels. Like every other science, Homoeopathy is also guided by its philosophy and fundamental principles of therapeutics. It is a system of medicine founded on a definite law "Similia Similibus Curantur" which means "like cures like". Homoeopathy may be defined as the therapeutic method of symptom similarity wherein the medicines selected can produce the most similar symptoms of the disease to be cured in healthy persons. Dr. Hahnemann systematized this law by doing "proving" or systemic recordings of symptoms produced by substance on healthy human beings.

"Homoeopathy treats the patient not the disease" is a commonly used epigram in

Homoeopathy. It adopts the holistic concept of disease whereby the disease is not considered something different from the whole life force. Hence, by sick, Dr. Hahnemann meant sicknesses of the whole body and not merely an organ or a part of the body.

What has Homoeopathy to offer in such a crisis?

Dr. Hahnemann mentioned in his momentous work “Organon of Medicine” in aphorism 4, “he is likewise a preserver of health if he knows the things that derange health and cause disease, and how to remove them from persons in health”. With regards to Homoeopathy, he asserted in the footnote of aphorism 109 "It is impossible that there can be another true, best method of curing dynamic diseases (i.e., all diseases not strictly surgical) besides Homoeopathy, just as it is impossible to draw more than one straight line between two given points".

Homoeopathy looks at nutritional deficiencies as the sign of deeper imbalance in body. It treats the person as a whole, not just symptoms, with goal of restoring balance to the body's vital energy.

SOME SIGNIFICANT ASPECTS THAT ARE FOLLOWED BY HOMOEOPATHS FOR NUTRITION MANAGEMENT : -

1] Some food items may be banned during treatment because of their healing hindrance property, which may work as antagonist against prescribed remedies which may create adverse effect or vice versa

2] Nutrition and diet plan are tailored according to a person's history, symptoms and overall health objectives rather than recommending a one size fits all method.

3] Homoeopathic remedies may be use to CURE UNDERLYING DIGESTIVE ISSUE LIKE FOOD SENSITIVITES, FOOD ABSORPTION which affects overall health.

4] homoeopaths typically favour eating whole instead of processed food having artificial additives or preservatives. Whole food consumption helps in more nutrition absorption

While Homoeopathic remedies can't replace the need for a proper diet, it can enhance the body's ability to benefit from the food you eat. It helps to improve how your body responds to nutrition and increases the effectiveness of nutrition you consume through food.

HOMOEOPATHIC REMEDIES AND BIOCHEMICS – AS NUTRITION FOR HOLISTIC HEALTH

Homoeopathy offers a range of remedies derived from vitamins and minerals, each with its own purposed benefits whereas Biochemic system of medicine contains the tissue remedies acts by supplying deficiencies. This new system of medicine is introduced by DR. W. SCHUSSLER. We present the hypothesis that Homoeopathy and biochemistry are quite similar; that biochemistry gives rational explanation of the Homoeopathic action as contained in that law of Hahnemann, similia similibus curantur.

Analysis have been made that the twelve tissue salts are constituents of many well-known and proved remedies of the vegetable kingdoms : -

FERR.PHOS – China, gelsem,verat,arnica, Asaf , graph , berb.Vulg, acon.
MAG.PHOS – Bell, stram, gel, graph , coloc, rhus ,op
CALC.PHOS – China , phytol, vibrinum, graph, coloc
CALC.SULPH – apocyn, asaf
CALC.FLOUR – Phytol
NAT.MUR – cedron, arum tr, cimicif, secale, hamam
NAT.SULP – Apocyn, iris, chamom, nux vom , lyco, bry alb , podophyllum, chelid
NAT.PHOS – Rheum, hamam
KALI.MUR – Phytol, sanguin, viburn, cimicf, pinus c.
KALI.SULP – Puls, hydrast, cimicf, phytol, myr.cer.
KALI.PHOS – Puls, bapt, rhus ,vert, digit, cactus g., stram, hamam, xanth.
SILICEA – Equisetum, cimicf, chelidonium, graph, secale.

SOME NOTABLE HOMOEOPATHIC REMEDIES THAT ARE SOURCES OF VITAMINS AND MINIREALS, ALONG WITH THEIR ASSOCIATED BENEFITS:

1] Alfalfa

- Rich in vitamins, including A, C, E, and K4, and minerals such as calcium, potassium, phosphorous, and iron.
- Contains essential enzymes for food digestion and assimilation
- Its high protein content and essential amino acids are favourable for muscle development and repair.

2] Calcarea Carbonica

- Supports bone health and development.
- May alleviate joint pains and dental problems.
- Often used for delayed milestones in children.

3] Ferrum Phosphoricum

- Traditionally used to improve overall energy.
- Considered beneficial for anaemic conditions.
- Aids in the first stage of inflammation.

4]Kali Phosphoricum

- Helps alleviate mental fatigue and nervousness.
- Supports nerve health.
- Believed to be useful in stress-related conditions.

5] Magnesia Phosphorica

- Often recommended for muscle cramps and spasms.
- May relieve symptoms of menstrual cramps.
- Used to ease nerve pain.

6] Natrum Muriaticum

- Aims to balance fluids in the body.
- Used for conditions arising from grief or emotional upset.
- May help with dry skin and cold sores.

7] Silicea
- Promotes skin and connective tissue health.
- Used for weak nails and hair.
- May aid in the expulsion of foreign bodies from the skin.

8] Calcarea Phosphorica
- Supports growth and healing, especially in bones.
- Used for teething problems in children.
- May help with fatigue and digestion.

9] Zincum Metallicum
- Utilized for its reputed effects on the nervous system.
- May be beneficial for memory and cognitive function.

CONCLUSION

Homoeopathy offers a unique, holistic approach to dealing with nutritional deficiencies. By focusing on the underlying causes, it can help the body better absorb and use nutrients. While it's important to make dietary changes and ensure you're getting enough nutrients, Homoeopathy can be a valuable addition to your overall health plan. It addresses not just the symptoms but the deeper imbalances that may be preventing your body from getting the nutrients it needs. With the right combination of a balanced diet, lifestyle adjustments, and Homoeopathic remedies, you can improve your overall health and protect yourself from the negative effects of nutritional deficiencies.

REFERENCES

1] https://openstax.org/books/anatomy-and-physiology-2e/pages/24-7-nutrition-anddiet
2] https://www.sciencedirect.com/topics/medicine-and-dentistry/nutritional-deficiency
3] Janbow, D.J.B., (2022). Effectiveness of Homeopathy in the prevention of nutritional problems in public health: A review.
4] Introduction of Homeopathy and Homeopathic medicines: A review. International Journal of Homeopathic Sciences.
5] https://Homoeopathy.dpu.edu.in/blogs/Homoeopathy-for-nutritional-deficiencies
6] https://article.imrpress.com/bri/Elite/articles/pdf/Elite489.pdf Hahnemann, S. (1992). Samuel Hahnemann : His Life and Word. In Samuel Hahnemann: His Life and Word (pp. 2 v.(957p.)
7] https://www.researchgate.net/publication/383677381_Homeopathy_in Health_and_Nutrition_Management_A_Comprehensive_Approach
8] https://www.healthline.com/health/tissue-salts
9] Hahnemann S., Organon of Medicine, 5th& 6th edition; 1996, B. Jain Publishers Pvt. Ltd., New Delhi, 81.
10] The Twelve Tissue Remedies of Schussler, By Dr. Willis A. Dewey, B Jain publishers Pvt Ltd, April 1,2009
11] Park K., Park's Textbook of Preventive and Social Medicine, 23RD edition. utriton_Management_A_Comprehensive_Approach

Assessing The Efficacy of Homoeopathy In Addressing Vitamin D Deficiency : A Critical Review

NEMISH VIJAYBHAI PARMAR
Internship batch 2024-25
L. R. Shah Homoeopathy College, Rajkot

INTRODUCTION

Vitamin D testing has exponentially increased in recent years. The definition and relevance of vitamin D deficiency are still under debate. Recent large observational data have suggested that ~40% of Europeans are vitamin D deficient, and 13% are severely deficient. The relevance of this widespread deficiency and necessity for supplementation has been questioned. Certainly, vitamin D is not a panacea. Because more often than not, trials have included non-deficient individuals, it is not surprising that interventional trials have usually not been able to find a benefit of vitamin D supplementation on clinical outcomes. This was also reflected in meta-analyses on the topic that were carried out with poor methodological standards. Consequently, many authors have dismissed a role of vitamin D on important clinical outcomes, and suggested that vitamin D may be more an associative than a causal factor in acute and chronic disease. On the other hand, a low vitamin D status is emerging as a very common condition worldwide, and several studies from basic science to clinical applications have highlighted a strong association with chronic diseases, as well as acute conditions. Moreover, the large amount of observational data currently available are also accompanied by pathophysiological associations of vitamin D with energy homeostasis, and regulation of the immune and endocrine systems.

Definition of vitamin D deficiency

Serum 25(OH)D is considered to be the best marker for assessing vitamin D status, and reliably reflects the free fractions of the vitamin D metabolites, despite the fact that, in theory, the bioavailable fractions may be more clinically informative. A range of below 75 mol/L (or30 ng/ml) of serum/plasma 25(OH)D concentration is considered vitamin D deficiency by most authors. A cut-off of <25 or <30 mol/L (or 10/12 ng/ml) increases the risk of osteomalacia and nutritional rickets dramatically, and therefore is considered to determine severe vitamin D deficiency. The clinical practice guidelines of the Endocrine Society Task Force on Vitamin D have defined a cut-off level of 50 nmol/L as vitamin D deficient. Furthermore, different societies and expert bodies have defined 50 nmol/L as “vitamin D requirement of nearly all normal healthy persons,” by using bone health as the main basis. For example, a cut-off level of 50 nmol/L is recommended by the Institute of Medicine (IOM, USA) in their “Dietary Reference Intakes”. Vitamin D levels of <30 nmol/L (or 12 ng/ml) should likely be prevented with a public health approach. There are many large and relevant risk groups for vitamin D deficiency

Table 1 Risk groups for vitamin D deficiency including high-risk medications.

Risk group	medication
Chronic disease, particularly kidney, heart, and liver failure, in particular transplant candidates and recipients	Several antiretroviral medications
Gastrointestinal diseases including Crohn's disease, inflammatory bowel disease, and malabsorption syndromes	Antifungal, e.g., ketoconazole
Granuloma-forming disorders including sarcoidosis and tuberculosis	Several ant seizures medications
Hospitalized individuals, especially ICU patients	Cholestyramine
Hyper- and hyperparathyroidism	Glucocorticoids
Obese children and adults, particularly after bariatric surgery	Rifampicin

Prevalence of vitamin D deficiency worldwide

Prevalence rates of severe vitamin D deficiency, defined as25(OH)D <30 nmol/L (or 12 ng/ml), of 5.9% (US) ,7.4% (Canada), and 13% (Europe) have been reported. Estimates of the prevalence of 25(OH)D levels<50 nmol/L (or 20 ng/ml) have been reported as 24% (US),37% (Canada), and 40% (Europe). This may vary by age, with lower levels in childhood and the elderly, and also ethnicity in different regions, for example European Caucasians show lower rates of vitamin D deficiency compared with non-white individuals. Worldwide, many countries report very high prevalence's of low vitamin D status. 25(OH)D levels <30 nmol/L (or12 ng/ml) in >20% of the population are common in India, Tunisia, Pakistan, and Afghanistan. For example, it has been estimated that 490 million individuals are vitamin D efficient in India. Specific categories of patients have a very high prevalence of vitamin D deficiency. Often, they are characterized by an insufficiency or failure of organs involved in vitamin D metabolism. Patients with chronic renal failure and on haemodialysis, renal transplant recipients affected with liver disease or after liver transplantation may have a prevalence of vitamin D deficiency ranging from 85 to 99%.

Vitamin D deficiency in critical illness

Similarly, critically ill patients have a very high prevalence of vitamin D deficiency, and low vitamin D levels are clearly associated with greater illness severity, morbidity, and mortality in both adult and paediatric intensive care unit (ICU) patients, as well as medical and surgical

ICUs. However, as in most other populations, the most important question remains unanswered: whether low vitamin D is an innocent bystander, simply reflecting greater disease severity, or represents an independent and modifiable risk factor amenable to rapid normalization through loading dose supplementation.

The question is meaningful, since in this subgroup of patients, many factors contribute to low levels: haemodilution, reduced production and conversion by the liver, reduced synthesis of vitamin D-binding protein, higher consumption during the acute phase of disease and systemic inflammation, and increased tissue demand and enhanced catabolism of metabolites. More data are emerging from basic science about the immediate and late effects of vitamin supplementation on endocrine, autocrine, and paracrine and genomic targets.

Vitamin D replacement

Metabolites

It cannot be emphasized enough that various vitamin D metabolites with a very different efficacy, half-life, and risk of toxicity exist. This is discussed in detail in“Vitamin D supplementation: cholecalciferol, calcifediol and calcitriol”by Reinold Vieth et al. in this special issue.

Interval, target level, and dose

In the intensive care, however, a typical daily dose is inefficient, and an upfront loading for some time, bolus dosing was ending vogue because it was thought to be interesting for practical reasons. With the exception of critical care, bolus doses with long dosing intervals are not used. They are no longer recommended because of the higher risk of adverse effects (falls and fractures) associated with them. Moreover, the 2017individual patient data meta-analysis by Martineau et al showed a clear benefit for vitamin D on acute respiratory infection when daily or weekly dosing was used, but not with dose (followed by a daily dose) is necessary to improve vitamin D levels rapidly.

To maintain optimal vitamin D status, use of vitamin D supplementation is often required, as sunlight exposure and dietary intake alone is usually insufficient in most individuals. Currently, there is no international consensus on the optimal level for vitamin D supplementation. Recommendations differ in many countries, and range from400 to 2000 IU daily. A safe and commonly available dose of 25 µg of vitamin D3 (1000 IU) raises 25-hydroxyvitamin D [25(OH)D] serum level by 15–25 nmol/L on average (over weeks/months); it should be noted that there is a nonlinear response of serum 25(OH)D with a steeper rise with <1 IU/day of vitamin D, and a more flattened response with >1 IU/day. This is evidenced by several studies in all age groups.

By using the above-mentioned recommended vitamin D supplementation levels, there is no need to monitor serum or urinary calcium or renal function. There is no international consensus on the safe upper level for vitamin supplementation. While the upper daily limit given by the Endocrine Society is 10,000 IU, the IOM and The European Food and Safety Authority recommend staying below 4000 IU/day (100 µg). Most countries have prudently set

the safe upper level at 50 µg daily (2000 IU) for adults. However, this level was set despite the availability of adequate studies of dose–response relationships or toxicity. There is no convincing evidence that daily intakes of up to 125 µg (5000 IU) elicit severe adverse effects. It has been reported that an intake of 1250 µg (50,000 IU) once every 2 weeks for several years, equivalent to 89.3 µg (3571 IU) daily, did not cause hypercalcemia or other evidence of hypervitaminosis D.

In general, a daily vitamin D of 800 IU appears to be sufficient to achieve a target 25(OH)D level of at least 50 nmol/L (or 20 ng/mL) in most healthy individuals, whereas 2000 IU is sufficient to achieve a level of at least 75 nmol/L (or 30 ng/mL).

Some data suggest that a higher 25(OH)D level than50 nmol/L (or 20 ng/mL) may be required for optimal risk reduction for various endpoints.

Toxicity

The use of vitamin D supplementation has increased substantially. Growing awareness of vitamin D in the general population, and over-the-counter vitamin D with partially very high doses, include the risk for uncontrolled use and exogenous hypervitaminosis D, resulting in high concentrations of serum 25(OH)D or free 1,25-dihydroxyvitaminD [1,25(OH)2D], leading to hypercalciuria and finally hypercalcemia. Reports of vitamin D overdose are rare in the literature. Serum 25(OH)D usually exceeds375 nmol/l (or 150 ng/ml), and factors such as high-calcium intake contribute to the risk of hypercalcemia. However, there are also endogenous causes of hypervitaminosis, such as increased production of 1,25(OH)2D as part of granulomatous disorders or lymphomas. Having a long half-life in the tissues, vitamin D accumulation due to excessive intake lasts up to 18 months, and may cause chronic toxic effects such as nephrocalcinosis following hypercalcemia and hypercalciuria.

Selected target organs, conditions, andendpoints

Mortality

Vitamin D deficiency has been strongly associated with various health outcomes, including all-cause mortality. A 2014 Cochrane meta-analysis showed a relevant and significant lower all-cause mortality of ~7% and cancer mortality of ~13% in patients who received vitamin D3. The results of a meta-analysis by using individual participant data conducted by Gaksch et al., analysing almost 17,000 individuals, showed a strong association between low 25(OH)D and increased risk of all-cause mortality. Using a Mendelian randomization with genetic variants in the vitamin D synthesis pathway, the analysis of Aspelund et al. supports a causal relationship between vitamin D deficiency and increased all-cause mortality. However, despite a cohort of >10,000 participants, it was still too underpowered to confirm a causal relationship.

Lung

The effect of vitamin D on the lungs has a strong rationale, demonstrated by basic science, due to its immunomodulant, anti-inflammatory, and anti-infective role that has been highlighted in patients with community-acquired infections, acute respiratory failure, as well as in lung transplantation recipients (this is a very specific model for severe infective and

inflammatory lung disease).

Vitamin D supplementation reveals direct anti-inflammatory properties in the lungs. This is due to local

inhibition of nuclear factor-κB and mitogen-activated protein kinase activity, reducing the secretion of inflammatory cytokines and chemokines involved in the lung inflammatory process and extravascular leaking, such as interleukin (IL)-1β, IL-6, and IL-8. This, in turn, also influences the number of inflammatory cells infiltrating the interstitial space. Moreover, 1,25(OH)2D is also implicated in the reduction of oxidative stress by inhibiting anti-protease activity, and acting on the nuclear factor erythroid-related factor 2, a transcriptional regulator of most anti-toxicant genes.

Sepsis

Sepsis, a complication of severe infection, is characterized by signs of systemic inflammation expressed with failure of organs often remote from the site of the initial infection. Septic patients have high mortality and lower circulating levels of vitamin D. The interest in vitamin D for infection has risen after the recognition of the expression of the vitamin D receptor, ubiquitous in cells of the innate and adaptive immune system. Vitamin D is an important link between Toll-like receptor activation and antibacterial responses. The in vivo supplementation of a high dose of cholecalciferol (400.000 IU as a single bolus) in the early stage of sepsis and septic shock has been shown able to safely and rapidly increase the level of vitamin D, as well as the circulating level of cathelicidin, a vitamin D-dependent endogenous anti-microbial and endotoxin-binding peptide largely found in human neutrophils. These findings were corroborated by the significant reduction of IL-1β andIL-6, which play important roles in the early inflammatory response.

Pregnancy

In 2019, two Cochrane analyses on vitamin D and pregnancy were published. They suggested that vitamin D supplementation may reduce gestational diabetes, low birthweight, and preeclampsia, but a higher than currently recommended dose appeared to have no additional benefit except for possible further reduction of gestational diabetes. However, several studies in recent years have highlighted that women are at high risk for vitamin Deficiency, and this is associated with adverse pregnancy outcomes, including preeclampsia and gestational diabetes. It has been demonstrated that vitamin D supplementations able to reduce adverse pregnancy outcomes when a higher level is achieved, with an increasing efficacy when the target level is raised from 20 to 40 ng/mL or50 ng/mL. Interestingly, the maximum change is achieved6–8 weeks after initiating the treatment, likely exerting the genomic actions of vitamin d. Three major adverse pregnancy outcomes appear to improve with vitamin D supplementation: a 60% reduction in preeclampsia, a 50%reduction in gestational diabetes, and a 40% reduction in preterm delivery. These data are consistent with previous work on the topic. Moreover, following the genomic and epigenetic effects of vitamin D supplementation, vitamin D deficiency during pregnancy also seems able to induce specific genomic pathways relevant to autoimmune disease in childhood and later in life. The placenta

can convert 25(OH)D to the active form 1,25(OH)2D, similarly to the kidneys; therefore, more basic research should shed light in the future on the specific vitamin D metabolism during pregnancy. The FDA has recently approved the statement "Pregnant women who have higher serum vitamin D levels have a decreased risk of preterm birth."

Taking into account the recent literature, vitamin Deficiency is associated with worse outcomes during pregnancy, and at least 400–600 IU of daily vitamin D supplementations reasonable for women with a vitamin D level<40 ng/mL, with higher required doses in more severe deficiency.

Cancer

Vitamin D supplementation as a strategy for preventing cancer was considered, as results from several observational studies suggested an association between vitamin D deficiency and risk for several types of cancer. It was growth of malignant melanoma cells. Ecologic studies revealed a decreased cancer mortality in areas with greater sun exposure. Over the decades, vitamin D and its anticancer action was investigated for various malignancies resulting in mixed findings.

Diabetes

Several studies demonstrated a link between 25(OH)D levels and diabetes, and revealed a higher frequency of vitamin D deficiency in patients with type 1 diabetes mellitus(T1DM) compared with healthy individuals. Investigating prenatal vitamin D exposure of the fetes, a lower gestational 25(OH)D level or avoiding vitamin D-fortified food was significantly associated with higher risk of developing T1DM. In infancy, vitamin D supplementation or vitamin D-fortified margarine was shown to reduce the risk of developing type 1 diabetes mellitus. The effect of vitamin D supplementation onT1DM onset seems to be dependent on life stage. Supplementation between 7 and 12 months of age resulted in an almost two-fold lower risk of developing T1DM compared with earlier supplementation. In adolescents, many studies revealed no association between 25(OH)D level and onset of T1DM. However, there is a clear effect of vitamin D in young adults, as low 25(OH)D levels were significantly associated with developing T1DM. However, according to the available literature, the cause-and-effect relationship is inconclusive. On the other hand, diabetes per se results in physiological changes too, such as increased renal elimination of vitamin D-binding protein compared with healthy individuals. Therefore, the value of hypovitaminosis D as a trigger for developingT1DM remains unclear. Vitamin D deficiency was also shown to have a negative impact on insulin resistance. Hence, a higher risk of developing type 2 diabetes mellitus(T2DM) in individuals with low 25(OH)D levels was assumed.

Musculoskeletal effects of vitamin D

The detrimental effects of vitamin D deficiency on the musculoskeletal system where the first visible mode of action musculoskeletal system was the first visible mode of action that was attributed to vitamin D (i.e., rickets in children).

The necessity of an adequate vitamin D status for muscle and bone health is undebated.

Vitamin D intoxication and hypersensitivity

Vitamin D intoxication is rare and usually only occurs at very high supplementation doses. However, various mutations in vitamin D metabolizing enzymes that may lead mutations in vitamin D metabolizing enzymes that may lead mutations in vitamin D metabolizing enzymes that may lead to increased sensitivity to standard vitamin D supplementation or even endogenous vitamin D intoxication with hypercalcemia, hypercalciuria, and nephrocalcinosis/chronic renal insufficiency have been described. Typically, these mutations affect CYP24A1, the enzyme that catabolizes 1,25OHD2 to the inactive metabolite24,25OHD2. Therefore, a diagnosis can be made by using the ratio of 24,25:25 D and does not necessarily require genetic testing.

This condition has been termed idiopathic infantile hypercalcemia, but due to the greatly varying clinical phenotypes, patients may well become symptomatic only in adulthood. Currently, no causal treatment is available, but avoidance of a high-calcium diet, UV-B exposure, and vitamin D or calcium supplements is advised.

The future

Vitamin D deficiency is highly prevalent, but the literature to support vitamin D supplementation is unsatisfactory to date. Unless major funding sources are used for vitamin D research, it appears sensible to focus on vitamin D-deficient populations with a high event rate. Vitamin D is clearly not a panacea, but may be an important, inexpensive, and safe adjuvant therapy for many diseases and stages of life including pregnancy, childhood, and old age. Public health efforts to prevent severe vitamin D deficiency should therefore be further promoted. In the critically ill setting, one large vitamin D supplementation trial has recently been published (VIOLET) and one is still ongoing (NCT03096314 andNCT03188796). VIOLET randomized patients with 25(OH)D levels below 50 nmol/L (or 20 ng/ml) “at risk forwards” to one single high dose of vitamin D3 (540,000 IU), and evaluated its effect on the primary outcome: 90-daymortality. It was prematurely stopped in mid-2018 after inclusion of ca. One-third of the patients originally planned, and no differences in mortality and secondary endpoints have been reported, with no differences in subgroup analyses and safety endpoints.

VITDALIZE is a European multicentre RCT, including severely vitamin D-deficient ICU patients with a 25 OH Delve <30 nmol/L (or 12 ng/ml), and randomizes patients toa loading dose of oral/enteral vitamin D3 (540,000 IU) followed by 4000 IU daily for 90 days, with the primary outcome being 28-day mortality. Recruitment is ongoing in Austria and Belgium, should be expanded to other European countries in 2020, and will likely continue for a few more years.

HOMOEOPATHIC MEDICINES

1. **Calcarea Phosphorica :**

   Often used for complaints related to bone development and healing, especially in children or adults with brittle bones or weak joints.

   Symptoms of rickets or delayed teething and growth in children. general fatigue and difficulty recovering from illnesses

Slow and absent ossification of fractures, deficient formation of bone. Defective nutrition, impact cell growth and destruction of tissue. Also, an excellent remedy for broken bones. Soft, thin brittle bones and osteoporosis

How it relates to vitamin D :

- Vitamin D is essential for calcium and phosphorus metabolism. So Calc Phos aligns with symptoms caused by poor calcium phosphorus utilization, such as bone weakness.
- Bone Weakness : Promotes bone strength and repair.
- Delayed Growth: Stimulates growth in children with delayed development due to nutritional deficiencies.
- Joint Pain : Relieves pain and stiffness in joints caused by calcium imbalance.
- Fatigue and Weakness : Improves general vitality, which is often reduced in Vitamin D-deficient individuals.

Indications for Use

- Bone Conditions: Weak bones, delayed healing of fractures, and softening of bones (osteomalacia).
- Growth Issues: Especially in children experiencing slow development or delayed dentition.
- Teething Troubles: Pain, delayed eruption, and sensitivity in infants.
- Rickets : A condition caused by Vitamin D deficiency leading to skeletal deformities.
- Joint Pain : Particularly in older individuals or growing adolescents.

2. Calcarea Carbonica

Produced impairment in nutrition of various organs, particularly bones.

Commonly used for soft or porous bones and delayed growth in children and fatigue. Swelling and softening of epiphyses, bones without strength

Bone weakness and fragility: Suitable for individuals prone to fractures or with a history of osteomalacia or rickets.

Muscle cramps and weakness: Especially in the legs and arms, often aggravated by exertion.

Delayed dentition in children: Teeth appear late, and there may be issues with weak enamel.

How it relates to vitamin D :

Useful for children with stunted growth or deformities due to calcium and Vitamin D deficiencies.

Bowed legs or other skeletal deformities related to poor calcium metabolism.

Enhance the body's ability to assimilate calcium and Vitamin D from food or supplements.

Address the systemic imbalance affecting bone and muscle health.

Improve metabolic functions, thus indirectly supporting Vitamin D utilization.

3. Calcarea Fluoricum

Indicated in cases of tumour on the surface of bones.

In osseous growth and in suppuration of bones.

How it relates to vitamin D :

Strengthens Bones and Teeth: Calcarea Fluorica is believed to improve the elasticity of

connective tissues and strengthen bones and teeth, which are often weakened due to Vitamin D deficiency.

Prevention of Bone Deformities: Homeopaths suggest its use for conditions like osteoporosis, bone deformities, or delayed dentition, which may also be observed in Vitamin D deficiency.

Joint and Tendon Health: It is used to treat joint pain, stiffness, and conditions such as arthritis, which can result from or be exacerbated by low Vitamin D levels.

Healing of Fractures: This remedy is often recommended in homeopathy to promote the healing of fractures, as it supports bone regeneration

4. **Silicea**

For cases of delayed healing of wounds, brittle bones, and general weakness.

Supports absorption and utilization of nutrients when there is poor assimilation.

Chronic fatigue ability.

Swelling and curvature of bone, inflammation in bone.

How it relates to vitamin D :

Support for Bone Health: Silicea is believed to assist in strengthening bones and improving mineral assimilation. Vitamin D deficiency often leads to weak bones or osteoporosis, and Silicea is sometimes recommended to support the body's ability to utilize calcium and phosphorus more effectively.

Skin and Connective Tissue Support: In cases where Vitamin D deficiency has caused skin issues or connective tissue problems, Silicea is used for its restorative properties, promoting healing and strengthening tissues.

Immune System Enhancement: Vitamin D plays a vital role in immune function. Silicea is often included in treatments to boost overall immunity, addressing indirect effects of Vitamin D deficiency, such as frequent infections.

Holistic Healing: Homeopathy emphasizes treating the individual holistically. Practitioners might prescribe Silica based on specific symptoms associated with Vitamin D deficiency, such as fatigue, weak nails, or sensitivity to cold.

5. **Natrum Muriaticum**

Helps with muscle cramps, general fatigue and mineral imbalances

How it relates to vitamin D :

Enhancing Nutrient Absorption: It is thought to improve overall metabolic processes and nutrient assimilation, potentially aiding the absorption of vitamin D from dietary sources.

Balancing Electrolytes: Sodium chloride plays a role in maintaining fluid and electrolyte balance, which can impact overall cellular function, including processes related to bone health.

Symptom Management: It may alleviate symptoms associated with vitamin D deficiency, such as fatigue, muscle aches, and mood disturbances.

Muscle weakness and cramps due to vitamin D deficiency are key areas where Nat Mur may provide relief. It also helps in improving electrolyte balance

6. Phosphorus

For conditions of fragile bones, extreme fatigue, and burning pains in extremities.
Weakness, Bone and joint pain.
Osteoporosis and other bone-related disorders.
Symptoms of anxiety or nervousness.
Circulatory system issues.
Often used in cases of osteoporosis or slow fracture healing

How it relates to vitamin D :

Phosphorus plays a direct role in bone health. It complements vitamin D 's role in calcium absorption and helps in weakness caused by insufficient vitamin D levels.

Bone Health: Both phosphorus and vitamin D are critical for bone health. Vitamin D facilitates calcium absorption, while phosphorus works alongside calcium to maintain bone strength. In vitamin D deficiency, bones may weaken, and phosphorus in homeopathy is often prescribed to address bone pain or fragility symptoms.

Fatigue and Weakness: Homeopathic phosphorus is believed to improve vitality and energy, making it a supportive remedy for individuals experiencing fatigue due to vitamin D deficiency.

Healing Support: Phosphorus may be used homoeopathically to enhance the body's self-healing mechanisms, which could indirectly support recovery from the effects of vitamin D deficiency.

7. Symphytum

Known as the "Bone Knitter" remedy it is specifically indicated for fractures and injures to bones

How it relates to vitamin D :

Vitamin D deficiency leads to weakened bones, poor calcium absorption, and conditions like osteomalacia and rickets. While Symphytum does not directly address Vitamin D levels, its use in homeopathy is considered complementary for managing the symptoms and complications of bone-related disorders caused by Vitamin D deficiency.

Bone Healing: Vitamin D deficiency can impair bone health, making fractures more common and healing slower. Symphytum is used to support the healing of these fractures.

Calcium Metabolism: Although not a direct substitute for Vitamin D, Symphytum aids in enhancing bone strength and may indirectly support calcium utilization, which is crucial for individuals with low Vitamin D.

Pain Alleviation: It can be used to relieve bone and joint pain, a common symptom in individuals with Vitamin D deficiency.

Symphytum aids in fracture healing, a key concern in advanced cases of osteoporosis caused by vitamin D deficiency

Fracture healing: Symphytum may be prescribed when Vitamin D deficiency has led to fractures or delayed bone healing.

Bone pain management: Used for dull, aching pain in bones caused by weakened structures.

REFERENCES

1. Simpson M, Brady H, Yin X, Seifert J, Barriga K, Hoffman M, et al. No association of vitamin D intake or 25-hydroxyvitamin D levels in childhood with risk of islet autoimmunity and type 1 diabetes: the Diabetes Autoimmunity Study in the Young (DAISY). Diabetologia. 2011; 54:2779. https://doi.org/10.1007/s00125-011-2278-2
2. Chatterjee R, Erban JK, Fuss P, Dolor R, LeBlanc E, Staten M, et al. Vitamin D supplementation for prevention of cancer: the D2d cancer outcomes (D2dCA) study. Contemp Clin Trials. 2019; 81:62–70. https://doi.org/10.1016/j.cct.2019.04.015
3. Manson JE, Cook NR, Lee I-M, Christen W, Bassuk SS, Mora S, et al. Vitamin D supplements and prevention of cancer and cardiovascular disease. N Engl J Med. 2018; 380:33–44. https://doi.org/10.1056/NEJMoa1809944
4. Jacobsen R, Moldovan M, Vaag AA, Hypponen E, Heitmann BL. Vitamin D fortification and seasonality of birth in type 1 diabetic cases: D-tect study. J Devel Orig Health Dis. 2016; 7:114–9. https://doi.org/10.1017/S2040174415007849
5. McDonnell SL, Baggerly KA, Baggerly CA, Aliano JL, French CB, Baggerly LL, et al. Maternal 25(OH)D concentrations ⩾40 ng/mL associated with 60% lower preterm birth risk among general obstetrical patients at an urban medical center. PloS ONE. 2017;12: e0180483–e0180483. https://doi.org/10.1371/journal.pone.0180483
6. Palacios C, Kostiuk LK, Pena-Rosas JP. Vitamin D supplementation for women during pregnancy. Cochrane Database Syst Rev. 2019;7: Cd008873 https://doi.org/10.1002/14651858
7. Palacios C, Trak-Fellermeier MA, Martinez RX, Lopez-Perez L, Lips P, Salisi JA. et al. Regimens of vitamin D supplementation for women during pregnancy. Cochrane Database Syst Rev. 2019;10: Cd013446 https://doi.org/10.1002/14651858.cd013446
8. Berlanga-Taylor AJ, Leclair TR, Zakai N, Bunn JY, Gianni M, Heyland DK, et al. Vitamin D supplementation in mechanically ventilated patients in the medical intensive care unit. BMJ Open.2019. https://doi.org/10.1136/bmjopen-2018-02766610.1002/jpen
9. Gaksch M, Jorde R, Grimnes G, Joakimsen R, Schirmer H, Wilsgaard T, et al. Vitamin D and mortality: Individual participant data meta-analysis of standardized 25-hydroxyvitamin D in 26916 individuals from a European consortium. PLOS ONE. 2017;12: e0170791. https://doi.org/10.1371/journal.pone.0170791
10. Pludowski P, Holick MF, Pilz S, Wagner CL, Hollis BW, Grant WB, et al. Vitamin D effects on musculoskeletal health, immunity, autoimmunity, cardiovascular disease, cancer, fertility, pregnancy, dementia and mortality—A review of recent evidence. Autoimmun Rev. 2013;12:976–89. https://doi.org/10.1016/j.autrev.2013.02.004
11. Thompson BT. Vitamin D to improve outcomes by leveraging early treatment (VIOLET). ClinicalTrials.gov; 2017. https://clinicaltrials.gov/ct2/show/NCT03096314
12. Jones G. Pharmacokinetics of vitamin D toxicity. Am J Clin Nutr.2008;88:582S–586S. https://doi.org/10.1093/ajcn/88.2.582S
13. Aloia JF, Patel M, DiMaano R, Li-Ng M, Talwar SA, Mikhail M, et al. Vitamin D intake to

attain a desired serum 25-hydroxyvitamin D concentration. Am J Clin Nutr.2008;87:1952–8. https://doi.org/10.1093/ajcn/87.6.1952

14. Heaney RP, Davies KM, Chen TC, Holick MF, Barger-Lux MJ. Human serum 25-hydroxycholecalciferol response to extended oral dosing with cholecalciferol. Am J Clin Nutr.
15. 2003; 77:204–10. https://doi.org/10.1093/ajcn/77.1.204
16. Amrein K, Papinutti A, Mathew E, Vila G, Parekh D. Vitamin D and critical illness: what endocrinology can learn from intensive care and vice versa. Endocr Connect. 2018;7: R304–R315.https://doi.org/10.1530/EC-18-0184
17. Martucci G, McNally D, Parekh D, Zajic P, Tuzzolino F, Arcadipane A. et al. Trying identify who may benefit most future Vitam D intervention trials: a post hoc Anal VITDAL-ICU study excluding early deaths. Crit Care. 2019;23:200. https://doi.org/10.1186/s13054-019-2472-z
18. Cariolou M, Cupp MA. Importance of vitamin D in acute and critically ill children with subgroup analyses of sepsis and respiratory tract infections: a systematic review and meta-analysis. Crit care (Lond, Engl). 2019;9:e027666. 10.1136/bmjopen-2018-027666
19. Vos R, Ruttens D, Verleden SE, Vandermeulen E, Bellon H, Van Herck A, et al. High-dose vitamin D after lung transplantation: a randomized trial. J Heart Lung Transplant. 2017; 36:897–905. https://doi.org/10.1016/j.healun.2017.03.008
20. Martineau AR, Jolliffe DA, Hooper RL, Greenberg L, Aloia JF, Bergman P, et al. Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. BMJ. 2017;356: i6583. https://doi.org/10.1136/bmj.i6583
21. Munns CF, Shaw N, Kiely M, Specker BL, Thacher TD, Ozone K, et al. Global consensus recommendations on prevention and management of nutritional rickets. J Clin Endocrinol Metab.2016;101:394–415. https://doi.org/10.1210/jc.2015-2175
22. Braegger C, Campoy C, Colomb V, Decsi T, Domellof M, Fewtrell M, et al. Vitamin D in the healthy european paediatric population. J Pediatr Gastroenterol Nutr. 2013; 56:692–701. https://doi.org/10.1097/MPG.0b013e31828f3c05
23. Cashman KD, Dowling KG, Škrabáková Z, Gonzalez-Gross M, Valtueña J, De Henauw S, et al. Vitamin D deficiency in Europe: pandemic? Am J Clin Nutr. 2016; 103:1033–44. https://doi.org/10.3945/ajcn.115.120873
24. Zhang Y, Fang F, Tang J, Jia L, Feng Y, Xu P, et al. Association between vitamin D supplementation and mortality: systematic review and meta-analysis. BMJ. 2019;366: l4673. https://doi.org/10.1136/bmj.l4673
25. Manson JE, Cook NR, Lee I-M, Christen W, Bassuk SS, Mora S, et al. Vitamin D supplements and prevention of cancer and cardiovascular disease. N Engl J Med. 2018; 380:33–44. https://doi.org/10.1056/NEJMoa1809944
26. Pittas AG, Dawson-Hughes B, Sheehan P, Ware JH, Knowler WC, Aroda VR, et al. Vitamin D supplementation and prevention of type 2 diabetes. N. Engl J Med. 2019; 381:520–30.

https://doi.org/10.1056/NEJMoa1900906
27. De Pascale G, Quraishi SA. Vitamin D status in critically ill patients: the evidence is now bioavailable! Crit Care.2014;18:449. https://doi.org/10.1186/cc13975
28. Munns CF, Shaw N, Kiely M, Specker BL, Thacher TD, Ozono K, et al. Global consensus recommendations on prevention and management of nutritional rickets. J Clin Endocrinol Metab.2016;101:394–415. https://doi.org/10.1210/jc.2015-2175
29. Boenninghausen's Characteristics Materia Medica & Repertory.by C.M. BOGER M.D.
30. A Dictionary of Pratical Materia Medica by JOHN HENRY CLARKE, M.D.
31. The ENCYCLOPEDIA of PURE MATERIA MEDICA by TIMOTHY F. ALLEN, A.M., M.D.

Management of Vitamin C Deficiency with Homoeopathy

Dr. A.P.S. Chhabra
Asst. Prof.,
Practice of Medicine (PG) & PG Coordinator,
L R Shah Homoeopathy College, Rajkot

Masumi Palan
BHMS Internee Batch 2024-25
L R Shah Homoeopathy College, Rajkot

INTRODUCTION : [1,2,3,4]



- The chemical name of Vitamin C is Ascorbic acid and the term ascorbic acid is derived from : A - lacking/without; Scorbus- Latin word for scurvy, which means ascorbic acid is anti-scurvy acid.
- Vitamin C is water soluble vitamin and must be obtained from the sources outside the body as body cannot synthesize it. Main sources of vitamin C are citrus fruits (especially amla), green vegetables (esp broccoli), tomatoes and potatoes.
- Vitamin C is most active reducing agent in aqueous phase of living tissues and is involved in intercellular electron transfer.
- Vitamin C is essential for immune health, collagen synthesis, wound healing, and acts as an antioxidant thus supporting Vital Force maintaining balance and promoting holistic well-being, in line with homeopathic principles.

Etiology of Vitamin C Deficiency [1,2]

1. Inadequate Dietary Intake :
   - Lack of fresh fruits and vegetables in the diet (e.g., citrus fruits, bell peppers, and leafy greens).
   - Common in malnourished populations or those with limited food access.

2. Increased Requirements :
   - Conditions like pregnancy, lactation and

3. Poor Absorption :
   - Malabsorption syndromes (e.g., Crohn's disease, celiac disease).
   - Gastrointestinal surgeries.

4. Chronic Alcoholism :
   - Leads to poor nutrition and impaired Vitamin C absorption.

5. Smoking :
   - Smokers have higher Vitamin C requirements due to oxidative stress.

VITAMIN C FUNCTIONS AND CLINICAL CO RELATIONS:[3]

- Early symptoms are very nonspecific symptoms including listlessness, fatigue and weakness.
- Patients with Vitamin C deficiency often present with anemia in the background due to impaired iron absorption, increased oxidative stress leading to hemolysis, and chronic blood loss from fragile capillaries.
- Defective collagen formation in Vitamin C deficiency results in impaired wound healing, capillary hemorrhage, and decreased platelet adhesiveness, contributing to bleeding tendencies.
- Reason of bleeding: As vitamin C is essential for collagen synthesis, with helps maintain strength and structure of blood vessel walls. When deficient blood vessels become fragile leading to increased risk to bleeding including perifollicular bleeding in skin: petechiae and ecchymoses, periosteal bleeding and haemarthosis.
- Reason of impaired wound healing: Successful healing of a wound requires formation of strong connective tissue in scar. It has already been said that ascorbic acid deficiency results in failure of collagen formation in connective tissue leading to impaired wound healing.
- Vitamin C deficiency results in swollen gums, mainly around the papillae between the teeth, which become livid in color and bleed at the slightest touch.
- Vitamin C is necessary for osteoblast activity in bone formation, and its deficiency causes abnormal bone and tooth development.
- Vitamin C is an antioxidant which protects body against damaging oxidising agents.

DIAGNOSIS : [4]

Clinically, the condition is diagnosed through skin lesions and other symptoms, such as atraumatic haemarthrosis (bleeding into joints without trauma), which is highly suggestive of Vitamin C deficiency. The laboratory diagnosis of Vitamin C deficiency is primarily based on plasma ascorbic acid levels, which are typically below 0.2 mg/dL.

RUBRICS RELATED TO VITAMIN C DEFICIENCY : [5]

1. GENERALS: weakness.
2. MOUTH: swelling, gums.
3. MOUTH: scorbutic gums.
4. MOUTH: bleeding gums, pressing with finger, large quantity oozes when.

5. SKIN: eruption, petechiae.
6. SKIN: ulcers, indolent.
7. EXTREMITIES: pain, bones, aching



Remedies	∑Sym	∑Deg	Symptoms
mur-ac.	7	14	1, 3, 4, 5, 6, 7, 8
ars.	6	16	1, 3, 4, 6, 7, 8
lach.	6	15	1, 3, 4, 6, 7, 8
calc.	6	14	1, 3, 4, 6, 7, 8
merc.	6	14	1, 3, 4, 6, 7, 8
nit-ac.	6	14	1, 3, 4, 5, 7, 8
ph-ac.	6	14	1, 3, 4, 6, 7, 8
phos.	6	14	1, 3, 4, 6, 7, 8

INDICATIONS OF HOMOEOPATHIC MEDICINES IN VITAMIN C DEFICIENCY :[6]

1. MURIATIC ACID :

- Patient becomes so weak she slides down the bed.
- Haemorrhages.
- Gums and glands swollen.
- Scarlet fever, livid with petechiae, scanty eruption.
- < damp weather, before midnight.
- > lying on left side.

2. ARSENIC ALBUM :

- Irritable weakness.
- Unhealthy easily bleeding gums.
- Bloody saliva.
- < after midnight.
- > warmth.

3. LACHESIS :

- Haemorrhagic tendency.
- Gums swollen, spongy, bleed.
- Teeth ache, pain extended to ears.
- Pain in facial bones.
- Bluish, purplish appearance.
- < after sleep, left side.
- > appearance of discharge , warm application.

4. PHOSPHORUS :

- Degeneration of blood vessels and every tissue and organ of body and thus gives rise to haemorrhages.
- Swelled and easily bleeding gums.
- Toothache after washing clothes.
- Wounds bleed very much, even if small, they heal and break out again.
- Little ulcer outside of large ones.
- < touch, mental exertion, warm food or drink, lying of left or painful side, during thunderstorms.
- > dark, lying on right side, cold food , cold application, open air.

CONCLUSION :

Vitamin C deficiency affects health by impairing collagen synthesis, immunity and antioxidant defense. Combining a diet rich in fruits and vegetables with a Homoeopathic approach offers a holistic pathway to restoring balance and well-being.

REFERENCES :

1. Britton R, Hobson R, Penman ID, Ralston S, Strachan MWJ. Davidson's Principles and Practice of Medicine. 23rd ed. Edinburgh: Elsevier; 2018.
2. Jameson JL, Kasper DL, Fauci AS, Hauser SL, Longo DL, Loscalzo J, et al. Harrison's principles of internal medicine. 20th ed. New York: McGraw-Hill Education; 2018.
3. Srilakshmi B. Nutrition science. New delhi: New Age International (p) Limited Publishers; 2002.
4. Papadakis MA, Mcphee SJ, Rabow MW. Current medical diagnosis & treatment 2016. 62nd edition. New York, New York: Mcgraw Hill Education; 2023.
5. Frederik Schroyens. Synthesis. London: Homeopathic Book Publishers; 1993.
6. Boericke W, Boericke OE. Pocket manual of Homœpathic materia medica: comprising the characteristic and guiding symptoms of all remedies (clinical and pathogenetic). New Delhi: Indian Books & Periodicals Publishers; 2004.

Events Gallery

Alumni Meet 2024



Blood and Organ Donation Camp

Bona Fortuna 2k24 - Convocation Ceremony



Cervical Vaccine Awarness Seminar

Debate on Industrialization Vs Urbanization

Educational Visit

Fresher's Party 2024

Aarkin Dobariya
BHMS 4th Year

Uday Chandarana
BHMS 3rd Year

Shortlisting of Research Proposal Under STSH 2024

Gardi Excellence Award 2024-25

Homoeo Spectra Season 2



MOU With Institute of Advanced Research The University For Innovation, Gandhinagar

Independence Day Celebration 2024

Events Gallery

Nasha Mukti Abhiyan Pledge

Materia Medica Quiz 2024

National Nutrition Week Celebration 2024

PCIMH and Factory Visit Delhi

Teacher Parents Meet on International Parents Day 2024

Teacher's Day Celebration 2024

School Health Check Up Camp

Seminar by Expert